

Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Version: 6.1	Print date: 07.02.2018	
n		

Product identifier

Trade name/designation: Product No.: Synonymes: CAS No.: Other means of identification: Boric acid ACS 0588-VBD no data available 10043-35-3

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use:	For Further Manufacturing Use Only
Uses advised against:	Not for Human or Animal Drug Use

Details of the supplier of the safety data sheet

Supplier

VWR International LLC	
Street	100 Matsonford Road Radnor Corporate Center,
	Building One, Suite 200 P. O. Box 6660
Postal code/city	Radnor, PA 19087
Telephone	+1-800-932-5000 toll-free within US/Canada
	+1-610-386-1700
Telefax:	+1-610-728-2103





Manufacturer

VWR Chemicals, LLC

Street Postal code/city 28600 Fountain Parkway Solon, OH 44139

Emergency telephone

Telephone

+1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA)

Preparation Information

VWR International - Data Compliance

E-mail

sds@vwr.com

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard classes and hazard categories	Hazard statements
Reproductive toxicity, category 1B	H360

2.2 Label elements

Labelling in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard pictograms



Signal word: Danger

Hazard statements	
H360	May damage fertility or the unborn child.

Precautionary	
statements	
P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.

Hazards not otherwise classified (HNOC)

none/none





SECTION 3: Composition / information on ingredients

3.1 Substances

Substance name	ortho-Boric acid
Molecular formula	H3BO3
Molecular weight	61.83 g/mol
CAS No.	10043-35-3

SECTION 4: First aid measures

4.1 General information

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation

Call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Give nothing to eat or drink.

4.2 Most important symptoms/effects, acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

4.4 Self-protection of the first aider

First aider: Pay attention to self-protection!

4.5 Information to physician

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.





Extinguishing media which must not be used for safety reasons no restriction

5.2 Specific hazards arising from the chemical

In case of fire may be liberated: Pyrolysis products, toxic

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives. Protective equipment and precautions for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dust.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Clean contaminated objects and areas thoroughly observing environmental regulations. Collect in closed and suitable containers for disposal.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

All work processes must always be designed so that the following is as low as possible: Inhalation skin contact Eye contact If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Handle under (Gas): Protective gas, dry

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Ambient temperature Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.





8.2 Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact	
Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,12 mm
Breakthrough time (maximum wearing time):	> 480 min
By long-term hand contact	

Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,38 mm
Breakthrough time (maximum wearing time):	> 480 min

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Additional information

Wash hands before breaks and after work. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls no data available





SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	solid
Color:	white
(b) Odour:	no data available
(c) Odour threshold:	no data available

Safety relevant basic data

 (d) pH: (e) Melting point/freezing point: (f) Initial boiling point and boiling range: (g) Flash point: (h) Evaporation rate: (i) Flammability (solid, gas): 	3.7 (46 g/l; H2O; 20 °C) 160 °C 185 °C (1013 hPa) no data available no data available not applicable
(j) Flammability or explosive limits Lower explosion limit: Upper explosion limit:	no data available no data available
(k) Vapour pressure: (I) Vapour density:	2.7 hPa (20 °C) no data available
(m) Relative density: (n) Solubility(ies)	1.44 g/cm ³ (25 °C)
Water solubility (g/L): Soluble (g/L) in Ethanol:	46.5 g/l (20 °C) no data available
(o) Partition coefficient: n-octanol/water:(p) Auto-ignition temperature:	0.757 (20 °C) no data available
(q) Decomposition temperature:(r) Viscosity	185 °C (1013 hPa)
Kinematic viscosity: Dynamic viscosity: (s) Explosive properties: (t) Oxidising properties:	no data available no data available not applicable not applicable

9.2 Other information

Bulk density: Refraction index: Dissociation constant: Surface tension: Henry constant: 1.44 g/cm³ (25 °C) 1.462 (589 nm; 25 °C) no data available no data available no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available





10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

10.7 Additional information

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity: LD50: > 2660 mg/kg - Rat - (RTECS)

Acute dermal toxicity: LD50: < 2000 mg/kg - Rat - (IUCLID)

Acute inhalation toxicity: LC50: > 0.16 mg/l - Rat - (IUCLID)

Irritant and corrosive effects

Primary irritation to the skin: not applicable

Irritation to eyes: not applicable

Irritation to respiratory tract: not applicable

Respiratory or skin sensitization

In case of skin contact: not sensitising After inhalation: not sensitising

STOT-single exposure not applicable

STOT-repeated exposure not applicable





CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

no data available	ACGIH	IARC	NTP	OSHA

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

May damage fertility or the unborn child.

Aspiration hazard

not applicable

Other adverse effects

no data available

Additional information

no data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity:

LC50: 487 mg/l (96 h) - Hamilton, S.J., and K.J. Buhl 1990. Acute Toxicity of Boron, Molybdenum, and Selenium to Fry of Chinook Salmon and Coho Salmon. Arch.Environ.Contam.Toxicol. 19(3):366-373

Daphnia toxicity:

EC50: 226 mg/l (48 h) - Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C.

LC50: 180 mg/l (48 h) - Gersich, F.M. 1984. Evaluation of a Static Renewal Chronic Toxicity Test Method for Daphnia magna Straus Using Boric Acid. Environ.Toxicol.Chem. 3(1):89-94

LC50: 91 mg/l (48 h) Mysidopsis bahia - Marcussen, C.E., and J.J. Yurk 1990. Boron: Acute Toxicity to Mysids (Mysidopsis bahia) Under Flow-Through Conditions. Lab.Proj.ID No.3903004000-0215-3140, ESE, Gainesville, FL :44 p.

Algae toxicity: no data available

Bacteria toxicity: no data available

12.2 Persistence and degradability

no data available





12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: 0.757 (20 °C)

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: no data available

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

Additional information

no data available

SECTION 14: Transport information

Land transport (DOT)

No dangerous good in sense of this transport regulation.

Sea transport (IMDG)

No dangerous good in sense of this transport regulation.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not relevant

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of this transport regulation.





SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA 313 Components

Not listed.

Massachusetts Right To Know Components

Not listed.

Pennsylvania Right To Know Components

Not listed.

New Jersey Right To Know Components

Not listed.

California Prop. 65 Components

Not listed.





SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts DOT - Department of Transportation IARC - International Agency for Research on Cancer IATA-DGR - International Air Transport Association-Dangerous Goods Regulations ICAO-TI - International Civil Aviation Organization-Technical Instructions IMDG - International Maritime Code for Dangerous Goods LTV - Long Term Value NIOSH - National Institute for Occupational Safety and Health NTP - National Toxicology Program OSHA - Occupational Safety & Health Administration PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit STV - Short Term Value SVHC - Substances of Very High Concern **TDG** - Transport of Dangerous Goods TLV - Threshold Limit Value vPvB - very Persistent, very Bioaccumulative

Additional information

Indication of changes: general update

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safty precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.

