

# Part of Thermo Fisher Scientific

# **SAFETY DATA SHEET**

Creation Date 08-Jan-2010 Revision Date 31-May-2016 Revision Number 2

1. Identification

Product Name Silica gel desiccant

Cat No. : \$162-212; \$162-500

Synonyms Silicon dioxide; Diatomaceous earth; Infusorial earth

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Scientific CHEMTREC®, Inside the USA: 800-424-9300
One Reagent Lane CHEMTREC®, Outside the USA: 001-703-527-3887

Fair Lawn, NJ 07410 Tel: (201) 796-7100

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory Sensitization Category 1
Skin Sensitization Category 1
Germ Cell Mutagenicity Category 2
Carcinogenicity Category 1B
Reproductive Toxicity Category 1B

**Label Elements** 

#### Signal Word

Danger

#### **Hazard Statements**

May cause an allergic skin reaction
May cause allergy or asthma symptoms or breathing difficulties if inhaled
Suspected of causing genetic defects
May cause cancer by inhalation
May damage fertility



#### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Use only outdoors or in a well-ventilated area

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

### **Unknown Acute Toxicity**

.? percent of the mixture consists of ingredient(s) of unknown acute toxicity

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Silica, amorphous, precipitated and gel	112926-00-8	90-100
Cobaltous chloride	7646-79-9	0-10

# 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

Silica gel desiccant

symptoms occur.

Most important symptoms/effects

None reasonably foreseeable. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

## Fire-fighting measures

**Suitable Extinguishing Media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable Extinguishing Media** No information available

Not applicable **Flash Point** 

No information available Method -

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available No information available Sensitivity to Static Discharge

#### Specific Hazards Arising from the Chemical

None known.

#### **Hazardous Combustion Products**

None known

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	1	N/A

#### Accidental release measures

**Personal Precautions Environmental Precautions**  Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Should not be released into the environment. See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal. Up

7. Handling and Storag	Эŧ	9	
------------------------	----	---	--

Handling Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Do

not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica, amorphous, precipitated and		(Vacated) TWA: 6 mg/m <sup>3</sup>	
gel			
Cobaltous chloride	TWA: 0.02 mg/m <sup>3</sup>		-

### Silica gel desiccant

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Silica, amorphous, precipitated and TWA: 6 mg/m³		TWA: 10 mg/m <sup>3</sup>	
Cobaltous chloride	3 -		TWA: 0.02 mg/m <sup>3</sup>

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# Physical and chemical properties

Physical State Solid
Appearance Blue
Odor Odorless

Odor Threshold No information available

pH Not applicable

Melting Point/Range

No data available

Boiling Point/Range

No information available

Flash Point Not applicable

Evaporation Rate No information available Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available
Lower No data available

Vapor PressureNo information availableVapor DensityNo information availableSpecific GravityNo information availableSolubilityInsoluble in water

Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaSiO2Molecular Weight60.08

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

**Conditions to Avoid**Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong acids

Revision Date 31-May-2016 Silica gel desiccant

Hazardous Decomposition Products None known

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** No acute toxicity information is available for this product

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Oral LD50 **Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Mist LC50 Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Cobaltous chloride	LD50 = 80 mg/kg (Rat)	Not listed	Not listed	

**Toxicologically Synergistic** 

No information available

**Products** 

Hygienists)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization May cause sensitization by inhalation and skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Silica, amorphous, precipitated and gel			Not listed Not listed		Not listed	Not listed	
Cobaltous chloride	7646-79-9	Group 2B	Not listed	A3	Х	Not listed	

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

**Mutagenic Effects** Category 2

**Reproductive Effects** Category 1B.

**Developmental Effects** No information available.

ACGIH: (American Conference of Governmental Industrial

**Teratogenicity** No information available.

None known STOT - single exposure STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed **Endocrine Disruptor Information** 

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

# 12. Ecological information

### Silica gel desiccant

#### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not empty into drains.

Component	ponent Freshwater Algae Freshwater Fish		Microtox	Water Flea
Cobaltous chloride	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Not listed	1.1-1.6 mg/L 48h
		mg/L 96h		

Persistence and Degradability Bioaccumulation/ Accumulation

No information available No information available.

**Mobility** 

Component	log Pow
Cobaltous chloride	0.85

13. Disposal considerations

Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.				
	14. Transport information				
DOT	Not regulated				
TDG	Not regulated				
IATA	Not regulated				
IMDG/IMO	Not regulated				

15. Regulatory information

All of the components in the product are on the following Inventory lists: Australia Complete Regulatory Information contained in following SDS's X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Korea Philippines Japan

#### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Silica, amorphous,	-	Х	-	-	-		Х	Х	Х	Х	Х
precipitated and gel											
Cobaltous chloride	Х	Х	-	231-589-4	-		Χ	Χ	Χ	Χ	Χ

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

## U.S. Federal Regulations

TSCA 12(b) Not applicable

## **SARA 313**

OAILA OIO			
Component	CAS-No	Weight %	SARA 313 - Threshold
•		_	Values %

## Silica gel desiccant

_				
Γ	Cobaltous chloride	7646-79-9	0-10	0.1

## SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

No

CWA (Clean Water Act) Not applicable

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Cobaltous chloride	X		-

**OSHA** Occupational Safety and Health Administration

Not applicable

### **CERCLA**

Not applicable

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silica, amorphous,	X	X	X	-	-
precipitated and gel					
Cobaltous chloride	-	X	X	X	-

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D2A Very toxic materials



# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Silica gel desiccant

Email: EMSDS.RA@thermofisher.com

 Creation Date
 08-Jan-2010

 Revision Date
 31-May-2016

 Print Date
 31-May-2016

**Revision Summary** SDS sections updated; 2; 11; 16

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**